


Lesson – 7

Example of: Form Designing <form action> tag in “Notepad” like as:-




```
<html>
<body>


<form action="">
I have a bike:
<input type="checkbox" name="vehicle" value="Bike">
<br/>
I have a car:
<input type="checkbox" name="vehicle" value="Car">
<br/>
I have an airplane:
<input type="checkbox" name="vehicle" value="Airplane">
</form>

</body>
</html>
```

Results in:- “Internet Explorer” like as:-



Example of: Form Designing <form action> tag in “Notepad” like as:-



```
Exe.14 - Notepad
File Edit Format View Help
<body>


<form action="">
Male:
<input type="radio" checked="checked"
name="Sex" value="male">
<br>
Female:
<input type="radio"
name="Sex" value="Female">
</form>

<p>
When a user click on a radio-button, the button becomes checked, and all other
button with the same name become unchecked
</p>

</body>
</html>
```

The screenshot shows a Notepad window titled "Exe.14 - Notepad" with a menu bar (File, Edit, Format, View, Help). The text area contains HTML code for a form with two radio buttons. The first radio button is checked and labeled "Male", and the second is labeled "Female". Below the code, a paragraph explains that when a radio button is clicked, it becomes checked and all other buttons with the same name become unchecked. The Windows taskbar at the bottom shows the Start button, several open applications, and the system clock displaying 2:57 AM.

Results in:- “Internet Explore” like as:-



Example of: Form Designing `<form action>` tag in “Notepad” like as:-

```
Exe.15 - Notepad
File Edit Format View Help

<html>
<body>

<form action="">
<select name="cars">
<option value="volvo">Volvo</option>
<option value="saab">Saab</option>
<option value="fiat">Fiat</option>
<option value="audi">Audi</option>
</select>
</form>

</body>
</html>
```

Results in:- “Internet Explore” like as:-

