

Lesson no. 4 – Install Tracking Code

Install your tracking code

Once you are finished, you will click the Get Tracking ID button. You will get a popup of the Google Analytics terms and conditions, which you have to agree to. Then you will get your Google Analytics code.



This must be installed on every page on your website. The installation will depend on what type of website you have. For example, I have a WordPress website on my own domain using the Genesis Framework. This framework has a specific area to add header and footer scripts to my website.

WordPress Website

Alternatively, if you have a WordPress on your own domain, you can use the Google Analytics by Yoast plugin to install your code easily no matter what theme or framework you are using.

Genesis	Header and Footer Scripts
eme Settings	Enter scripts or code you would like output to wp_head() :
4 Page	<script></td></tr><tr><td>port/Export</td><td>(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r] function(){</td></tr><tr><td>mple Hooks</td><td>(i[r].q=i[r].q []).push(arguments)),i[r].l=1*new Date();a=s.createElement(o),</td></tr><tr><td>nple Comments</td><td>m=s.getclementsbylagiName(o)(u);a.async=1;a.src=g;m.parentNode.insertBefore(a,m)))(window.document.'script'.'//www.google-analytics.com/analytics.is'.'ga');</td></tr><tr><td>mole Edits</td><td>3A</td></tr><tr><td>inpre conto</td><td>ga('create', 'UA-64248213-1', 'auto');</td></tr><tr><td>Appearance</td><td>ga(send, pageview);</td></tr><tr><td>Appearance</td><td></script>
Plugins 2	
Users	The wp_head() hook executes immediately before the closing tag in the document source.
Tools	
	그는 것은 것은 것이 잘 가지 않는 것이 가 많은 것이 없는 것을 알 수 있는 것이 없는 것이 없는 것이 없는 것이 같이 없는 것이 같이 없는 것이 같이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 없는 것이 않 않는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 않는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 않 않는 것이 없는 것이 없는 것이 없다. 것이 않는 것이 없는 것이 없는 것이 없는 것이 없는 것이 않는 것이 없다. 것이 않는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 않는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다. 것이 없는 것이 없다. 것이 않 않은 것이 없는 것이 않는 것이 없다. 것이 않은 것이 않은 것이 없는 것이 없는 것이 없다. 것이 않는 것이 없는 것이 없는 것이 없다. 것이 않은 것이 않은 것이 없다. 것이 않은 것이 없는 것이 없다. 것이 않은 것이 않은 것이 않이 않는 것이 없다. 것이 없는 것이 없는 것이 없다. 것이 않은 것이 없는 것이 없다. 것이 않은 것이 않이
	Enter scripts or code you would like output to wp_footer() :
Settings	Enter scripts or code you would like output to wp_footer() : <pre><script type="text/javascript"></pre></td></tr><tr><td>Settings</td><td>Enter scripts or code you would like output to wp_footer() : <pre> </pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> </pre> <pre> </pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> </pre> <pre> </pre> </pre> </pre> <pre> </pre> </pre> <pre> </pre> </pre> </pre> <pre> </pre> </pre> </pre> </pre> <pre> </pre> </pre> </pre> </pre> </pre> </pre> </pre> </pre> <pre> </pre> <pre> </pre> </pre> <pre> </pre> </pre> </pre> <pre> </pre> </pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre></td></tr><tr><td>Settings</td><td>Enter scripts or code you would like output to wp_footer() : <script type="text/javascript"> (function() { var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true;</td></tr><tr><td>Settings SEO RSS Aggregator</td><td>Enter scripts or code you would like output to wp_footer() : <script type="text/javascript"> (function() { var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true; po.src = 'https://apis.google.com/js/plusone.js'; var s = document.createElementsPuTastName('script')(0); s parentblock incertRefere(nos);</td></tr><tr><td>Settings SEO RSS Aggregator Rich Snippets</td><td>Enter scripts or code you would like output to wp_footer() : <script type="text/javascript"> (function() { var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true; po.src = 'https://apis.google.com/js/plusone.js'; var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(po, s); })();</td></tr><tr><td>Settings SEO RSS Aggregator Rich Snippets</td><td>Enter scripts or code you would like output to wp_footer() : <script type="text/javascript"> (function() { var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true; po.src = 'https://apis.google.com/js/plusone.js'; var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(po, s); })(); </script></pre>
Settings SEO RSS Aggregator Rich Snippets BWS Plugins	<pre>Enter scripts or code you would like output to wp_footer() :</pre>
Settings SEO RSS Aggregator Rich Snippets BWS Plugins CommentLuv	<pre>Enter scripts or code you would like output to wp_footer() :</pre>
Settings SEO RSS Aggregator Rich Snippets BWS Plugins CommentLuv Digg Digg	Enter scripts or code you would like output to wp_footer() : <script type="text/javascript"> (function() { var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true; po.src = 'https://apis.google.com/js/plusone.js'; var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(po, s); })(); </script> The wp_footer() hook executes immediately before the closing tag in the document source.

HTML Website

If you have a website built with HTML files, you will add the tracking code before the </head> tag on each of your pages. You can do this by using a text editor program (such as TextEdit for Mac or Notepad for Windows) and then uploading the file to your web host using an FTP program (such as FileZilla).

	0	e index.html
Τ.		File Path + : ~/Downloads/4hire_vcard_template/html/light styles/pink/index.html
		< > 💼 index.html 🗘 JAVASCRIPT 🗘
1 2 3 4	v v	html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"<br "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"> <html xmlns="http://www.w3.org/1999/xhtml"> <head></head></html>
5 6 7		<title>4HIRE - html vCard Template</title> <meta content="text/html; charset=utf-8" http-equiv="Content-Type"/>
8 9 10		imports the main css file <link href="css/style.css" media="screen" rel="stylesheet" type="text/css"/> imports prettyPhoto css file
11 12		<link href="css/prettyPhoto.css" media="screen" rel="stylesheet" type="text/css"/>
13 14 15		imports jquery <script src="js/jquery-1.5.2.min.js" type="text/javascript"></script> imports prettyPhoto plugin
16 17		<script src="js/jquery.prettyPhoto.js" type="text/javascript"></script> imports jquery form plugin
18 19 20		<script src="js/jquery.form.js" type="text/javascript"></script> imports jquery cycle plugin - used for navigation <script src="js/jquery.cycle.all.js" type="text/javascript"></script>
21 22 23		<pre><script src="js/jquery.tweet.js" type="text/javascript"></script> <!--imports custom javascript code--></pre>
24 25 26 27		<pre><script src="js/custom.js" type="text/javascript"></script> <!--imports qTip plugin--> <script src="js/jquery.qtip-1.0.0-rc3.min.js" type="text/javascript"></script></pre>
28 29 30		<pre><!-- internet explorer fixes--> <?if IE 7?><link href="css/ie7.css" media="screen" rel="stylesheet" type="text/css"/><?endif?> <?if IE 9?><link href="css/ie9.css" media="screen" rel="stylesheet" type="text/css"/><?endif?> <?if IE 9?><link href="css/ie9.css" media="screen" rel="stylesheet" type="text/css"/><?endif?> <?if It 5?><link href="css/ie9.css" media="screen" rel="stylesheet" type="text/css"/><?endif?> <?if It 5?><link href="css/ie9.css" media="screen" rel="stylesheet" type="text/css"/><?endif?> <?if It 5?></pre>
32		simili it it systeme inter tas/it_atticas feto stytesheet types text/tas meater setter /stytemail/-s
33	Ψ.	<script></td></tr><tr><td>34 35 36 37</td><td>•</td><td><pre>(function(i,s,o,g,r,a,m){i['GoogleAnalyticsUbject']=r;i[r]=1[r]][function(){ (i[r].q=i[r].q][[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o), m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m) })(window,document, 'script', '//www.google-analytics.com/analytics.js', 'ga');</pre></td></tr><tr><td>38 39 40 41</td><td></td><td><pre>ga('create', 'UA-64248213-1', 'auto'); ga('send', 'pageview');</pre></td></tr><tr><td>42 43</td><td>-</td><td></script>
44	-	

E-commerce Website

If you have a Shopify e-commerce store, you will go to your Online Store settings and paste in your tracking code where specified.

General		
Payments	Store details	Homepage title 0 of 70 characters used
Checkout	Edit your store information. The store name shows up on your	Homepage meta description 0 of 160 characters used
Shipping	storefront, while the title and meta description	Enter a description to avoid ranking poorly on search engines like Google.
Taxes	help define how your store shows up on search engines.	
Notifications	- diama	
Files		
1 100		
Account	Google Analytics	Google Analytics account (how do I set this up?)
Account Sales Channels	Google Analytics Google Analytics enables you to track the visitors	Google Analytics account (how do I set this up?) <pre><script></script></pre>